

ADDENDUM NUMBER: Addendum - Three

PROJECT TITLE: Milwaukee County Health & Human Services
Marcia P. Coggs Building
Rebid - Roof Replacement
Site Number: 340
Building Number: 5600
1220 West Vliet Street
Milwaukee, WI. 53205

PROJECT NUMBER: S035-10429

DATE OF ADDENDUM: December 22, 2011

This Addendum to the Contract Documents is issued to modify, explain or correct the construction documents for re-bidding the roof replacement at the Marcia P. Coggs Building, Dated November 09, 2011, and is hereby made part of the Contract Documents. Acknowledge receipt of this addendum in the space provided on the Bid Form, or bid may be rejected.

SPECIFICATIONS

Section 01 10 00, SUMMARY

Revised paragraph 1.2 DESCRIPTION OF WORK, sub-paragraph 4 as follows:

4. Area-B (Alternate Bid-D): East lower penthouse roof; existing surface ply, granular surfaced SBS modified bitumen, attachment hot asphalt. Existing underlying plies; 3-ply fiberglass felt, **attachment hot asphalt to (2) layers 1-inch perlite insulation**, attachment hot asphalt directly to structurally sloped concrete deck. Penetrations include existing telecommunication equipment, related electrical conduits, and structural steel support columns. Existing sheet metal copings at perimeter parapet walls. Drainage is provided by existing gutters and downspouts that discharge to the main roof.

Section 01 10 00, SUMMARY

Revised paragraph 1.2 DESCRIPTION OF WORK, sub-paragraph 5 as follows:

5. Area-C: Upper penthouse; existing surface ply, granular surfaced SBS modified bitumen, attachment hot asphalt. Existing underlying plies; 3-ply fiberglass felt, **attachment hot asphalt to (2) layers 1-inch perlite insulation**, attachment hot asphalt directly to structurally sloped concrete deck. Penetrations include the majority of existing telecommunication equipment, related electrical conduits, and structural steel support columns. Existing sheet metal copings at perimeter parapet walls. Drainage is provided by existing gutters and downspouts that discharge to the main roof.

Section 01 10 00, SUMMARY

Revised paragraph 1.2 DESCRIPTION OF WORK, sub-paragraph 6 as follows:

6. Area-D (Alternate Bid-C): West lower penthouse roof; existing surface ply, granular surfaced SBS modified bitumen, attachment hot asphalt. Existing underlying plies; 3-ply fiberglass felt, **attachment hot asphalt to (2) layers 1-inch perlite insulation**, attachment hot asphalt directly to structurally sloped concrete deck. Existing sheet metal copings at perimeter parapet walls. Drainage is provided by existing gutters and downspouts that discharge to the main roof. Roof Area-D contains and existing metal mechanical air intake structure supported on metal posts, which penetrate this roof. Also located on roof Area-D is an existing masonry chimney with concrete cap. The roof of the air intake structure is not included in this roof replacement project.

END OF SECTION